

HUMAN-COMPUTER INTERACTION: OVERVIEW ON STATE OF THE ART

Author: S. VAISHNAVI Assistant Professor, Sri Krishna Arts and Science College, Coimbatore (TN) INDIA

Co-Author: SWETHASRI L. III.B.Com (PA), Sri Krishna Arts and Science College, Coimbatore, (TN) INDIA Co-Author: SNEHA S. I. II.B.Com (PA), Sri Krishna Arts and Science College, Coimbatore, (TN) INDIA

ABSTRACT

The intention of this paper is to provide an overview on the subject of Human-Computer Interaction. The overview includes the basic definitions and terminology, a survey of existing technologies and recent advances in the field, common architectures used in the design of HCI systems which includes unimodal and multimodal configurations, and finally the applications of HCI. This paper also offers a comprehensive number of references for each concept, method, and application in the HCI.

Keywords: Human-Computer Interaction, Multimodal HCI, Ubiquitous Computing

INTRODUCTION

Utilizing computers had always begged the question of interfacing. The methods by which human has been interacting with computers has travelled a long way. The journey still continues and new designs of technologies and systems appear more and more every day and the research in this area has been growing very fast in the last few decades.

HUMAN-COMPUTER INTERACTIONS: DEFINITION, TERMINOLOGY

Sometimes called as Man-Machine Interaction or Interfacing, concept of Human-Computer Interaction/Interfacing (HCI) was automatically represented with the emerging of computer, or more generally machine, itself. The reason, in fact, is clear: most sophisticated machines are worthless unless they can be used properly by men. This basic argument simply presents the main terms that should be considered in the design of HCI: functionality and usability.



Functionality of a system is defined by the set of actions or services that it provides to itsusers. However, the value of functionality is visible only when it becomes possible to be efficiently utilised by the user. *Usability* of a system with a certain functionality is the range and degree by which the system can be used efficiently and adequately to accomplish certain goals for certain users. The actual effectiveness of a system is achieved when there is a proper balance between the functionality and usability of a system.

Having these concepts in mind and considering that the terms computer, machine and system are often used interchangeably in this context, HCI is a design that should produce a fit between the user, the machine and the required services in order to achieve a certain performance both in quality and optimality of the services. Determining what makes a certain HCI design good is mostly subjective and context dependant.

For example, an aircraft part designing tool should provide high precisions in view and design of the parts while a graphics editing software may not need such a precision. The available technology could also affect how different types of HCI are designed for the same purpose.

OVERVIEW ON HCI

The advances made in last decade in HCI have almost made it impossible to realize which concept is fiction and which is and can be real. The thrust in research and the constant twists in marketing cause the new technology to become available to everyone in no time.

EXISTING HCI TECHNOLOGIES

HCI design should consider many aspects of human behaviours and needs to be useful. The complexity of the degree of the involvement of a human in interaction with a machine is sometimes invisible compared to the simplicity of the interaction method itself. The existing interfaces differ in the degree of complexity both because of degree of functionality/usability and the financial and economical aspect of the machine in market.

Therefore, in design of HCI, the degree of activity that involves a user with a machine should be thoroughly thought. The user activity has three different levels: physical, cognitive, and affective. The physical aspect determines the mechanics of interaction between human and computer while the cognitive aspect deals with ways that users can understand the system and interact with it. The affective aspect is a more recent issue and it tries not only to make the interaction a pleasurable experience for the user but also to affect the user in a way that make user continue to use the machine by changing attitudes and emotions toward the user .



PUNE RESEARCH WORLD ISSN 2455-359X AN INTERNATIONAL JOURNAL OF INTERDISCIPLINARY STUDIES VOL 2, ISSUE 1

Input devices that rely on vision are the most used kind and are commonly either switchbased or pointing devices. The switch-based devices are any kind of interface that uses buttons and switches like a keyboard. The pointing devices examples are mice, joysticks, touch screen panels, graphic tablets, trackballs, and pen-based input. Joysticks are the ones that have both switches and pointing abilities. The output devices can be any kind of visual display or printing device. The devices that rely on audition are more advance devices that usually need some kind of speech recognition. These devices aim to facilitate the interaction as much as possible and therefore, are much more difficult to build. Output auditory devices are however easier to create. Nowadays, all kind of non-speech and speech signals and messages are produced by machines as output signals. Beeps, alarms, and turn-by-turn navigation commands of a GPS device are simple examples.

The recent methods and technologies in HCI are now trying to combine former methods of interaction together and with other advancing technologies such as networking and animation. These new advances can be categorized in three sections: wearable devices, wireless devices, and virtual devices. The technology is improving so fast that even the borders between these new technologies are fading away and they are getting mixed together. Few examples of these devices are: GPS navigation systems, military super-soldier enhancing devices (e.g. thermal vision, tracking other soldier movements using GPS, and environmental scanning), radio frequency identification (RFID) products, personal digital assistants (PDA), and virtual tour for real estate business. Some of these new devices upgraded and integrated previous methods of interaction.

RECENT ADVANCES IN HCI

In following sections, recent directions and advances of research in HCI, namely intelligent and adaptive interfaces and ubiquitous computing, are presented. These interfaces involve different levels of user activity: physical, cognitive, and affection.

INTELLIGENT AND ADAPTIVE HCI

Although the devices used by majority of public are still some kind of plain command/action setups using not very sophisticated physical apparatus, the flow of research is directed to design of intelligent and adaptive interfaces. The exact theoretical definition of the concept of intelligence or being smart is not known or at least not publicly agreeable. However, one can define these concepts by the apparent growth and improvement in functionality and usability of new devices in market.

As mentioned before, it is economically and technologically crucial to make HCI designs that provide easier, more pleasurable and satisfying experience for the users. To realize this goal,



the interfaces are getting more natural to use every day. Evolution of interfaces in note-taking tools is a good example.

First there were typewriters, then keyboards and now touch screen tablet PCs that you can write on using your own handwriting and they recognize it change it to text and if not already made, tools that transcript whatever you say automatically so you do not need to write at all.

Adaptive HCI designs, on the other hand, may not use intelligence in the creation of interface but use it in the way they continue to interact with users. An adaptive HCI might be a website using regular GUI for selling various products. This website would be adaptive -to some extent- if it has the ability to recognize the user and keeps a memory of his searches and purchases and intelligently search, find, and suggest products on sale that it thinks user might need. Most of these kinds of adaptation are the ones that deal with cognitive and affective levels of user activity.

Finally, another factor to be considered about intelligent interfaces is that most nonintelligent HCI design are passive in nature i.e. they only respond whenever invoked by user while ultimate intelligent and adaptive interfaces tend to be active interfaces. The example is smart billboards or advertisements that present themselves according to users' taste. In the next section, combination of different methods of HCI and how it could help towards making intelligent adaptive natural interfaces is discussed.

UBIQUITOUS COMPUTING AND AMBIENT INTELLIGENCE

The latest research in HCI field is unmistakably *ubiquitous computing* (Ubicomp). The term which often used interchangeably by *ambient intelligence* and *pervasive computing*, refers to the ultimate methods of human-computer interaction that is the deletion of a desktop and embedding of the computer in the environment so that it becomes invisible to humans while surrounding them everywhere hence the term ambient.

HCI SYSTEMS ARCHITECTURE

Most important factor of a HCI design is its configuration. In fact, any given interface is generally defined by the number and diversity of inputs and outputs it provides. Architecture of a HCI system shows what these inputs and outputs are and how they work together. Following sections explain different configurations and designs upon which an interface is based.

UNIMODAL HCI SYSTEMS



As mentioned earlier, an interface mainly relies on number and diversity of its inputs and outputs which are communication channels that enable users to interact with computer via this interface. Each of the different independent single channels is called a modality. A system that is based on only one modality is called *unimodal*. Based on the nature of different modalities, they can be divided into three categories:

- 1. Visual-Based
- 2. Audio-Based
- 3. Sensor-Based

The next sub-sections describe each category and provide examples and references to each modality.

VISUAL-BASED HCI

The visual based human computer interaction is probably the most widespread area in HCI research. Considering the extent of applications and variety of open problems and approaches, researchers tried to tackle different aspects of human responses which can be recognized as a visual signal. Some of the main research areas in this section are as follow:

- Facial Expression Analysis
- Body Movement Tracking (Large-scale)
- Gesture Recognition
- Gaze Detection (Eyes Movement Tracking)

While the goal of each area differs due to applications, a general conception of each area can be concluded. Facial expression analysis generally deals with recognition of emotions visually. Body movement tracking and gesture recognition are usually the main focus of this area and can have different purposes but they are mostly used for direct interaction of human and computer in a command and action scenario. Gaze detection is mostly an indirect form of interaction between user and machine which is mostly used for better understanding of user's attention, intent or focus in context-sensitive situations.

The exception is eye tracking systems for helping disabilities in which eye tracking plays a main role in command and action scenario, e.g. pointer movement, blinking for clicking

AUDIO-BASED HCI

The audio based interaction between a computer and a human is another important area of HCI systems. This area deals with information acquired by different audio signals. While the nature of audio signals may not be as variable as visual signals but the information gathered



PUNE RESEARCH WORLDISSN 2455-359XAN INTERNATIONAL JOURNAL OF INTERDISCIPLINARY STUDIESVOL 2, ISSUE 1

from audio signals can be more trustable, helpful, and is some cases unique providers of information. Research areas in this section can be divided to the following parts:

- Speech Recognition
- Speaker Recognition
- Auditory Emotion Analysis
- Human-Made Noise/Sign Detections (Gasp, Sigh, Laugh, Cry, etc.)
- Musical Interaction

Historically, speech recognition and speaker recognition have been the main focus of researchers. Recent endeavours to integrate human emotions in intelligent human computer interaction initiated the efforts in analysis of emotions in audio signals.

Other than the tone and pitch of speech data, typical human auditory signs such as sigh, gasp, and etc helped emotion analysis for designing more intelligent HCI system. Music generation and interaction is a very new area in HCI with applications in art industry which is studied in both audio- and visual-based HCI systems.

SENSOR-BASED HCI

This section is a combination of variety of areas with a wide range of applications. The commonality of these different areas is that at least one physical sensor is used between user and machine to provide the interaction.

These sensors as shown below can be very primitive or very sophisticated.

- 1. Pen-Based Interaction
- 2. Mouse & Keyboard
- 3. Joysticks
- 4. Motion Tracking Sensors and Digitizers
- 5. Haptic Sensors
- 6. Pressure Sensors
- 7. Taste/Smell Sensors

Some of these sensors have been around for a while and some of them are very new technologies. Pen-Based sensors are specifically of interest in mobile devices and are related to pen gesture and handwriting recognition areas. Motion tracking sensors/digitizers are state-of-the-art technology which revolutionized movie, animation, art, and video-game industry. They come in the form of wearable cloth or joint sensors and made computers much more able to interact with reality and human able to create their world virtually. Figure 3 depicts such a device. Haptic and pressure sensors are of special interest for applications in robotics and virtual reality. New humanoid robots include hundreds of haptic sensors that make the robots sensitive and aware to touch. These types of sensors are also used in medical surgery

S. VAISHNAVI SWETHASRI. L. SNEHA S. I.

6Page

VOL 2, ISSUE 1 www.puneresearch.com/world MAR – MAY 2017 (IMPACT FACTOR 2.54) INDEXED, PEER-REVIEWED / REFEREED INTERNATIONAL JOURNAL



PUNE RESEARCH WORLD ISSN 2455-359X AN INTERNATIONAL JOURNAL OF INTERDISCIPLINARY STUDIES VOL 2, ISSUE 1

application. A few research works are also done on area of taste and smell sensors; however they are not as popular as other areas.

MULTIMODAL HCI SYSTEMS

The term multimodal refers to combination of multiple modalities. In MMHCI systems, these modalities mostly refer to the ways that the system responds to the inputs, i.e. communication channels. The definition of these channels is inherited from human types of communication which are basically his senses: Sight, Hearing, Touch, Smell, and Taste. The possibilities for interaction with a machine include but are not limited to these types.

Therefore, a multimodal interface acts as a facilitator of human-computer interaction via two or more modes of input that go beyond the traditional keyboard and mouse. The exact number of supported input modes, their types and the way in which they work together may vary widely from one multimodal system to another.

Multimodal interfaces incorporate different combinations of speech, gesture, gaze, facial expressions and other non-conventional modes of input. One of the most commonly supported combinations of input methods is that of gesture and speech.

An interesting aspect of multimodality is the collaboration of different modalities to assist the recognitions.

For example, lip movement tracking (visual-based) can help speech recognition methods (audio-based) and speech recognition methods (audio-based) can assist command acquisition in gesture recognition (visual-based). The next section shows some of application of intelligent multimodal systems.

CONCLUSION

Human-Computer Interaction is an important part of systems design. Quality of system depends on how it is represented and used by users. Therefore, enormous amount of attention has been paid to better designs of HCI. The new direction of research is to replace common regular methods of interaction with intelligent, adaptive, multimodal, natural methods. Ambient intelligence or ubiquitous computing which is called the Third Wave is trying to embed the technology into the environment so to make it more natural and invisible at the same time. Virtual reality is also an advancing field of HCI which can be the common interface of the future. This paper attempted to give an overview on these issues and provide a survey of existing research through a comprehensive reference list.

VOL 2, ISSUE 1 www.puneresearch.com/world MAR – MAY 2017 (IMPACT FACTOR 2.54) INDEXED, PEER-REVIEWED / REFEREED INTERNATIONAL JOURNAL



PUNE RESEARCH WORLD ISSN 2455-359X AN INTERNATIONAL JOURNAL OF INTERDISCIPLINARY STUDIES VOL 2, ISSUE 1

REFERENCES

- [1] D. Te'eni, J. Carey and P. Zhang, *Human Computer Interaction: Developing EffectiveOrganizational Information Systems*, John Wiley & Sons, Hoboken (2007).
- [2] B. Shneiderman and C. Plaisant, *Designing the User Interface: Strategies for EffectiveHuman-Computer Interaction* (4th edition), Pearson/Addison-Wesley, Boston (2004).
- [3] J. Nielsen, Usability Engineering, Morgan Kaufman, San Francisco (1994).
- [4] D. Te'eni, "Designs that fit: an overview of fit conceptualization in HCI", in P. Zhang and D. Galletta (eds), *Human-Computer Interaction and Management Information Systems:Foundations*, M.E. Sharpe, Armonk (2006).
- [5] A. Chapanis, *Man Machine Engineering*, Wadsworth, Belmont (1965).
- [6] D. Norman, "Cognitive Engineering", in D. Norman and S. Draper (eds), *User CenteredDesign: New Perspective on Human-Computer Interaction*, Lawrence Erlbaum, Hillsdale(1986).
- [7] R.W. Picard, Affective Computing, MIT Press, Cambridge (1997).
- [8] J.S. Greenstein, "Pointing devices", in M.G. Helander, T.K. Landauer and P. Prabhu (eds), *Handbook of Human-Computer Interaction*, Elsevier Science, Amsterdam (1997).
- [9] B.A. Myers, "A brief history of human-computer interaction technology", *ACMinteractions*, 5(2), pp 44-54 (1998).
- [10] B. Shneiderman, *Designing the User Interface: Strategies for Effective Human-Computer Interaction* (3rd edition), Addison Wesley Longman, Reading (1998).